



TCV

TCV Table-Top Single Clipper

Area of application

The series TCV table-top clippers are used wherever absolutely secure closure is needed. Sausage, poultry, game, mussels, fresh meat and cheese packagings are sealed using these devices. Devices from this series are also very suitable for pre-configuring casings, packaging chemicals and all other products that are packaged in a net, a bag and in the various casings. This machine series is used in large and in small companies. The sturdy helpers can be used in a variety of areas depending on the requirements. There are a wide variety of applications. The following examples show how universally the clip closure can be used before, in or after the process.

Process packaging

- A product is cooked or frozen after it is clipped. It can be further processed thereafter, or sent out.
- A clipped net allows the product to be smoked in any desired shape and surface structure.

Protective packaging

- A product is provided with a protective covering for hygienic reasons.
- Products are sent out in thick protective bags.
- Products are protected against dust during intermediate storage.

Final packaging

- The sealed product provides an advantage in presentation to customers. Labels, product shapes, colors of the package and closure material leave a lot of room to play with in structuring products.

Standby machine

- With these machines, one can react very flexibly to capacity jumps, re-work, loss of other lines or surprises in daily production.
- The packaging of specialty products can be done in a cost-effective way.

Packaging material

- The series TCVx06 can be used for bags, nets and small plastic casings.
- The series TCVx07 can be used for bags, nets, small plastic casings and all other commonly available casings.

Advantages

- Low life cycle costs thanks to a sturdy design
- The maintenance expense is minimal
- The machine has attained the highest hygiene and safety standard
- The device is extremely stable and at the same time takes up a very small amount of production space
- The machine can withstand the most intense cleaning routines allowed
- Hygienic design, smooth surface, and rust-free materials help to maintain the desired operating cleanliness,



along with fast and easy cleaning



Triggering of the sensing lever and cutting knife that can be shut off.




Triggering of the gripper and cutting knife that can be shut off.

TCV Table-Top Single Clipper



Horizontal version TCV406H for upright bags



Tilttable suction tube for vacuum packaging



Sausages with crossover clips

Design

Series TCV table clippers are made of chromium-nickel steel and plastic and they meet current requirements for safety and hygiene as defined in a wide range of norms. For example, European Machinery Directive and Clipping Machine norm En13885.

Equipment versions

- If the sausage is to be processed or displayed in suspended fashion, the loop feeder can be used.
- A knife provides a straight, good-looking casing end
- A maintenance unit provides clean control air at the right pressure; this reduces maintenance costs

- Some devices are available with a tilting air suction unit. This air suction unit evacuates the bags to be sealed and then tilts them to the clipper where they are sealed.
- For special applications and liquid fill material, some devices are available with a horizontal design.
- The TCV106 machine is available in a special design containing a label feeder. This attaches a label under the clip which is printed during sealing to prevent mis-identification.



Products packaged in nets

Technical Specifications

Model	TCV 106-100	TCV 106-E220	TCV 206	TCV 406	TCV 507
Pneumatic knife	√	√	√	√	√
Manual knife	-	-	o	-	o
Oxygen unit or knife (HF)					
Gripper	-	-	-	-	√
Manual sensor lever triggering	√	o	√	√	-
Pneumatic sensor lever triggering	o	o	o	o	-
Foot triggering	-	√	-	-	-
VAC suction	o	o	o	o	o
Automatic loop feeder	-	-	-	-	o
1 or 2 cycle automatic loop feeder	-	-	-	-	o
Time delay	-	-	-	-	o
Crossover clip	√	√	√	√	√
Clip series	K90-K150 T90-T150	E210-E240	G175-G250	390-450	E510-E540
Dimensions L x W x H (cm) / weight (kg)	25x22x87/10	25x22x87/10	25x22x87/10	25x22x87/10	25x22x87/10
LpA [dB(A)]	83	83	83	83	83

Model	TCV206H (HF)	TCV406H (HF)	TCV407H (HF)	TCV406Z
Pneumatic knife	√	√	√	√
Manual knife	-	-	-	-
Oxygen unit or knife (HF)	o	o	o	-
Gripper	-	-	√	-
Manual sensor lever triggering	√	-	-	-
Pneumatic sensor lever triggering	o	-	-	-
Foot triggering	-	-	-	-
Horizontal frame with table stands	o	o	o	o
Horizontal frame with table stands and maintenance unit	o	o	o	o
Vertical frame with base plate	-	-	-	x
Horizontal frame with lug clamp	-	-	-	o
Pneumatic lifting stands	o	o	o	-
Single magazine	√	√	√	√
Dual-shaft magazine	-	o	o	-
Label feeder with printer	-	-	-	-
Label feeder with stamping device	-	-	-	o
Crossover clip	√	√	√	√
Clip series	G175-G250	390-450	390-450	Z401, Z411
Dimensions L x W x H (cm) / weight (kg)	52x25x64*/11	52x25x64*/11	52x25x64*/11	65x50x111/26
LpA [dB(A)]	83	83	83	73

√ = Standard, o = Option, - = Not available, * = Without stands

TIPPER TIE Inc.
2000 Lufkin Road
Apex, NC 27539
Tel. +1 919 362 8811
Fax +1 919 362 4839
infoUS@tippertie.com

TIPPER TIE TECHNOPACK GmbH
Otto-Hahn-Strasse 5
D-21509 Glinde/Deutschland
Tel. +49 40 72 77 04 0
Fax +49 40 72 77 04 100
infoDE@tippertie.com

TIPPER TIE ALPINA GmbH
Waldau 1
CH-9230 Flawil/Schweiz
Tel. +41 71 388 63 63
Fax +41 71 388 63 00
infoCH@tippertie.com

TIPPER TIE™
SOLUTIONS THAT WORK. A  COMPANY